CLAIMS

1. An oxynitride thermoelectric material, which has an element composition represented by the following formula (A):

$$Al_{z}Ga_{v}In_{x}M_{u}R_{v}O_{s}N_{t} \tag{A}$$

wherein M represents a transition element; R represents a rare earth element; $0 \le z \le 0.7$, $0 \le y \le 0.7$, $0.2 \le x \le 1.0$, $0 \le u \le 0.7$, $0 \le v \le 0.05$, $0.9 \le s+t \le 1.7$, and $0.4 \le s \le 1.2$; and x+y+z=1, and

has an absolute value of a Seebeck coefficient of 40 $\mu V/K$ or more at a temperature of 100°C or more.

- 2. The oxynitride thermoelectric material according to claim 1, wherein the element composition has an electrical resistivity of $10^{-3} \Omega cm$ or less.
- 3. The oxynitride thermoelectric material according to claim 1 or 2, wherein M in formula (A) is at least one transition element selected from Ni, Fe, Co and Mn.
- 4. The oxynitride thermoelectric material according to claim 1 or 2, wherein R in formula (A) is at least one rare earth element selected from Gd, Sc, Sm, Tb and Dy.
- 5. The oxynitride thermoelectric material according to any one of claims 1 to 4, which comprises at least one having an amorphous structure.
- 6. A nitride thermoelectric material which has an element composition represented by formula (B):

wherein M represents a transition element; R represents a rare earth element; D represents at least one element selected from elements of the Group IV or II; $0 \le z \le 0.7, \ 0 \le y \le 0.7, \ 0.2 \le x \le 1.0, \ 0 \le u \le 0.7, \ 0 \le v \le 0.05, \ 0 \le w \le 0.2, \ \text{and} \ 0.9 \le m \le 1.1; \ \text{and} \ x+y+z=1, \ \text{and}$

has an absolute value of a Seebeck coefficient of 50 μ V/K or more at a temperature of 100°C or more, and an electrical resistivity of $10^{-3}~\Omega$ cm or less.

- 7. The nitride thermoelectric material according to claim 6, wherein M in formula (B) is at least transition element selected from Ni, Fe, Co and Mn.
- 8. The nitride thermoelectric material according to claim 6, wherein R in formula (B) is at least rare earth element selected from Gd, Sc, Sm and Tb.
- 9. The nitride thermoelectric material according to claim 6, wherein D in formula (B) is at least one element selected from Ge, Si, Mg and Zn.
- 10. The nitride thermoelectric material according to any one of claims 6 to9, which comprises at least one having a wurtzite crystal structure.
- 11. The nitride thermoelectric material according to any one of claims 6 to 9, which comprises at least one having an amorphous structure.